

RECEIVED
CENTRAL FAX CENTER

SEP 10 2004

BEST AVAILABLE COPY

PATENT
MEDCOUNT-104

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant : Maurus Logan
Serial No. : 10/635,765
Filed : August 6, 2003
For : CABLE TIES HAVING INNATE CONNECTION
COMPATIBILITY WITH MOUNTING PLATES
Examiner : James R. Brittain
Art Unit : 3677
Assistant Commissioner for Patents
P. O. Box 1450
Alexandria, VA 23313-1450

Sir:

AMENDMENT

In response to the Office Action mailed on June 10, 2004,
please amend the subject application as is set forth below.

Amendments to the claims are reflected in the listing of
claims which begins on page 2 of this paper.

Remarks/Arguments begin on page 4 of this paper.

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☒ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☐ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.